

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (Previously Presented) A method of initiating performance of a computation on at least one untrusted computer, the method comprising:

partitioning the computation into a plurality of computational units that are combinable to generate a result for the computation, wherein the computation includes a plurality of arguments, wherein partitioning the computation into the plurality of computational units comprises partitioning using the Chinese Remainder Theorem (CRT), wherein partitioning the computation into the plurality of computational units comprises selecting a plurality of relatively prime moduli and generating each computational unit by performing a modulo operation on each of the plurality of arguments using one of the plurality of relatively prime moduli, and wherein selecting the plurality of relatively prime moduli includes selecting each modulus from a superset of relatively prime moduli;

partitioning a plurality of computations into multiple computational units using different sets of moduli selected from the superset of relatively prime moduli;

generating at least one distractive computational unit, wherein the distractive computational unit comprises a dummy computational unit;

initiating execution of both the at least one distractive computational unit and computational units from multiple computations on the untrusted computer to inhibit reconstitution of the computations by an untrusted party;

receiving result data generated during execution of the computational units from the multiple computations; and

generating results for the multiple computations from the result data.

2. (Original) The method of claim 1, wherein the distractive computational unit comprises a computational unit generated from partitioning a second computation.

3. (Original) The method of claim 2, wherein initiating execution of both the at least one distractive computational unit and at least one of the plurality of computational units includes interleaving the at least one distractive computational unit among multiple computational units from the plurality of computational units.

4. (Original) The method of claim 2, wherein partitioning the computation uses a different algorithm than that used to partition the second computation.

5. (Canceled).

6. (Original) The method of claim 1, wherein the distractive computational unit comprises a computational unit generated from a second partitioning of the computation.

7. (Original) The method of claim 1, further comprising initiating execution of at least one of the plurality of computational units on a second computer.

8. (Original) The method of claim 1, further comprising initiating execution of all of the plurality of computational units on the untrusted computer.

9.-12. (Canceled).

13. (Original) The method of claim 1, wherein the untrusted computer is coupled to a grid computing network.

14. (Original) The method of claim 13, wherein partitioning the computation is performed by a client computer coupled to the grid computing network.

15. (Original) The method of claim 13, wherein partitioning the computation is performed by a broker computer coupled to the grid computing network, the method further comprising receiving the computation from a client computer.

16. (Original) The method of claim 1, wherein partitioning the computation, generating the distractive computational unit, and initiating execution of both the distractive computational unit and the one of the plurality of computational units on the untrusted computer are performed by at least one computer coupled to the untrusted computer, the method further comprising communicating the distractive computational unit and the one of the plurality of computational units to the untrusted computer.

17.-34. (Canceled).